

Category 3 OTC medicines

Eye drop **アイボントロ〜リ目薬ドライアイ**

販売名: アイボン トローリ目薬 ドライアイ

Precautions for use**Who should seek consultation**

1. The following persons should consult a doctor, pharmacist or registered salesperson before using this product:
 - (1) Persons under treatment by a doctor
 - (2) Persons who have experienced allergic symptoms to medicines
 - (3) Persons with the following symptom: Severe eye pain
 - (4) Persons who have been diagnosed with the following condition: Glaucoma
2. Stop using this product immediately and ask a doctor, pharmacist, or registered salesperson with this leaflet if the following symptoms appear after using this product because they may be side effects of the product.

Affected area	Symptoms
Skin	Rash/redness, itching
Eye	Hyperemia, itching, swelling, smarting pain

3. Stop using this product immediately and ask a doctor, pharmacist, or registered salesperson with this leaflet in the following cases.
 - (1) If blurred vision is not improved
 - (2) If symptoms do not improve after using this product for about 2 weeks

INDICATIONS

Tear supplement (dry eye), discomfort in wearing hard or soft contact lenses, eye fatigue, blurred vision (e.g. increased amount of eye mucus)

DOSAGE AND DIRECTIONS

Apply 1 to 3 drops at a time, 3 to 6 times a day.

<Precautions regarding dosage and directions>

- (1) Children can use this product only under the direction and supervision of their parent or a responsible adult.
- (2) Do not touch the tip of the container to the eyelid or eye lashes. Do not use the product containing turbid solution.
- (3) For ophthalmic use only.
 - Depending on the conditions of storage, white crystals can be attached around the tip of the container. In such a case, wipe lightly with clean gauze before use.
 - Caution should be exercised because vision may be briefly blurred after instillation.

INGREDIENTS AND CONTENTS

In 100 mL

Ingredients	Contents	Actions
Chondroitin sulfate sodium	500 mg	Effect to protect cornea
Potassium chloride	50 mg	Ingredients in tears
Sodium chloride	300 mg	Ingredients in tears
Hypromellose	350 mg	Moisture retention effect

As inactive ingredients, this product contains boric acid, sodium edetate, potassium sorbate and pH adjuster.

PRECAUTIONS FOR STORAGE AND HANDLING

- (1) Keep the cap tightly closed and store in a dry and cool place away from direct sunlight.
- (2) Keep out of the reach of children.
- (3) Do not transfer this product to another container (it may cause improper use or loss of quality).
- (4) Do not share this product with others.

Sold by: Kobayashi Pharmaceutical Co., Ltd.

Doshomachi Bldg., 4-10, Doshomachi 4-chome, Chuo-ku, Osaka-shi, 541-0045, Japan

Website: <https://www.kobayashi.co.jp>