

Category ② OTC medicines

Anti-pruritic and anti-inflammatory drug

カブナーズ

## Precautions for use

**What you should Not do:**

(If you do not follow the precautions listed below, your current symptoms may worsen and you may be at an increased risk of side effects.)

1. Do not use this product to the following areas.
  - (1) Varicella (chicken pox), foot ringworm, tinea, etc. or affected area with pus formation
  - (2) Surface of a wound
  - (3) Eyes, around eyes, mucosa, etc. (e.g. lips)
2. Do not use extensively on the face.
3. Do not use this product regularly for long periods.

**Who should seek consultation**

1. The following persons should consult a doctor, pharmacist or registered salesperson before using this product:
  - (1) Persons under treatment by a doctor
  - (2) Persons who are or may be pregnant
  - (3) Persons who have experienced allergic symptoms to medicines
  - (4) Persons whose affected area is large
  - (5) Persons with severe moistening and erosions
2. Stop using this product immediately and ask a doctor, pharmacist, or registered salesperson with this leaflet if the following symptoms appear after using this product because they may be side effects of the product.

Affected area	Symptoms
Skin	Rash/redness, itching, swelling
Skin (affected area)	Trichophytia such as foot ringworm and tinea, acne, symptoms of pus formation, persisting feeling of stimulation

3. If symptoms do not improve after using this product for 5 to 6 days, stop using this product and ask a doctor, pharmacist, or registered salesperson with this leaflet.

**INDICATIONS**

Irritated skin, itching, prickly heat, eczema, dermatitis, chilblains, insect bites, hives

**DOSAGE AND DIRECTIONS**

Apply an appropriate amount to the affected area several times a day.

## &lt;Precautions regarding dosage and directions&gt;

- (1) Please follow the dosage and directions.
- (2) Children can use this product only under the direction and supervision of their parent or a responsible adult.
- (3) Avoid contact with the eyes. If this product gets into the eye, immediately wash the eye with cold or lukewarm water. If the symptom is severe, consult an ophthalmologist.
- (4) For external use only.
- (5) Do not cover the application area after application of the drug with objects that are not breathable such as wrap film.

**INGREDIENTS AND CONTENTS**

In 100 g

Ingredients	Contents	Actions
Dexamethasone acetate	0.025 g	Suppresses inflammation and relieves itching, redness and swelling.
Diphenhydramine hydrochloride	1.0 g	Suppresses occurrence of itching.
Lidocaine	0.5 g	Relieves itching quickly.
Glycyrrhetic acid	0.1 g	Relieves redness and swelling.
Isopropyl methylphenol	0.1 g	Suppress the occurrence of bacteria.

As inactive ingredients, this product contains hypromellose, hydroxyethyl cellulose, ethanol, diisopropyl adipate, polysorbate 80, propylene glycol, silicon dioxide, and pH adjuster.

**PRECAUTIONS FOR STORAGE AND HANDLING**

- (1) Keep the cap tightly closed and store it in a dry, cool place away from direct sunlight.
- (2) Keep out of the reach of children.
- (3) Do not transfer the medicine to another container (it may cause improper use or loss of quality).
- (4) Keep this product away from flame (ethanol-containing product)
  - Avoid contact of this product with plastic products (e.g. eyeglass frame, comb, toilet seat), nylon clothes, wood products (e.g. painted furniture, floors) and leather, etc. because it may lead to wear or staining.

**Highly flammable**

Class 2 petroleum, Hazardous Rank III, Ethanol-containing products, Water soluble

Sold by: Kobayashi Pharmaceutical Co., Ltd.

Doshomachi Bldg., 4-10, Doshomachi 4-chome, Chuo-ku, Osaka-shi, 541-0045, Japan

Website: <https://www.kobayashi.co.jp>