

Category 2 OTC medicines

Topical anti-inflammatory analgesic

コムレケア ヨコヨコ

Precautions for use

What you should Not do

(If you do not follow the precautions listed below, your current symptoms may worsen and you may be at an increased risk of side effects.)

1. The following persons should not use this product.
 - (1) Persons who have had allergies to this product or ingredients of this product.
 - (2) Persons who have had asthma.
 - (3) Persons who are or may be pregnant.
 - (4) Children under 15 years of age.
2. Do not use this product to the following areas.
 - (1) Around eyes, mucosa, etc.
 - (2) Eczema, irritated skin, wound site.
 - (3) Area affected by athlete's foot/ringworm or suppurating area.
3. Do not continue to use this product for a long time.

Who should seek consultation

1. The following persons should consult a doctor, pharmacist or registered salesperson before using this product.
 - (1) Persons under treatment by a doctor.
 - (2) Persons who have experienced allergic symptoms to medicines.
2. Stop using this product immediately and ask a doctor, pharmacist, or registered salesperson with this package if the following symptoms appear after using this product because they may be side effects of the product.

Affected area	Symptoms
Skin	Rash/redness, itching, swelling, tingling sensation, irritated skin

In rare cases, the following serious symptoms might occur. In that case, consult a physician immediately.

Names of symptoms	Symptoms
Shock (anaphylaxis)	Symptoms such as itching of the skin, hives, hoarseness, sneezing, itching of the throat, breathing difficulties, palpitations, and clouding of consciousness will appear immediately after using the product.

3. If symptoms do not improve after using this product for 5 to 6 days, stop using this product and ask a doctor, pharmacist, or registered salesperson with this package.

INDICATIONS

Muscular ache, sprain, arthralgia, lower back pain, tenosynovitis (pain and swelling of hands, wrists and ankles), elbow pain (e.g. tennis elbow), bruise, shoulder pain associated with stiff shoulder.

DOSAGE AND DIRECTIONS

Apply an appropriate amount to the affected area 2 to 4 times daily.

<Precautions regarding dosage and directions>

- (1) Avoid contact with the eyes. If this product gets into the eye, immediately wash the eye with cold or lukewarm water. If the symptom is severe, consult an ophthalmologist.
- (2) For external use only.
 - Do not cover the application site with items with poor air permeability like vinyl wrap films.
 - Persons with particularly sensitive skin should not apply this product to the same area repeatedly.
 - **Any strong stinging sensation after use of this product may be relieved by washing off the product with soap and water.**

INGREDIENTS AND CONTENTS

In 100 g

Ingredients	Contents
Felbinac	3 g
Tocopherol acetate	0.5 g
l-menthol	6 g

As inactive ingredients, this product contains diisopropanolamine, diisopropyl adipate, isopropyl myristate, BHT, propylene glycol, magnesium sulfate and ethanol.

PRECAUTIONS FOR STORAGE AND HANDLING

- (1) After use, close the cap firmly, and store upright in a dry, cool, and dark place away from direct sunlight.
- (2) Keep out of the reach of children.
- (3) Do not transfer this product to another container. (It may cause improper use or loss of quality.)
- (4) Do not use the product after its expiration date. In addition, use the product as soon as possible after opening even within the expiration date.
- (5) Keep this product away from flame.
 - Liquid may leak if the cap is not tightly closed.
 - Be careful not to get the solution on plastic products (eyeglass frame, hair comb, toilet seat, etc.), synthetic clothing, wood (painted furniture, floor, etc.), and leather. They may be worn out or stained.
 - Wash immediately according to the washing instructions if the clothes are stained.

Highly flammable

Class 1 petroleum, Hazardous Rank II, Ethanol-containing product.

Sold by : Kobayashi Pharmaceutical Co., Ltd.

Doshomachi Bldg., 4-10, Doshomachi 4-chome, Chuo-ku, Osaka-shi, 541-0045, Japan

Website : <https://www.kobayashi.co.jp>