

Category 2 OTC medicines

External preparation for skin and eczema

ミ－ミエイド

Precautions for use

Who should seek consultation

1. The following persons should consult a doctor, pharmacist or registered salesperson before using this product:
 - (1) Persons under treatment by a doctor
 - (2) Persons who have experienced allergic symptoms to medicines
 - (3) Persons with severe moistening or erosions
2. Stop using this product immediately and ask a doctor, pharmacist, or registered salesperson with this leaflet if the following symptoms appear after using this product because they may be side effects of the product.

Affected area	Symptoms
Skin	Rash/redness, itching, swelling, feeling of stimulation (tingling sensation), heat sensation, dry sensation

3. If symptoms do not improve after using this product for about 1 to 2 weeks, stop using this product and ask a doctor, pharmacist, or registered salesperson with this leaflet.

INDICATIONS

Eczema, dermatitis, erosions, prickly heat, irritated skin, itching, diaper rash

DOSAGE AND DIRECTIONS

Apply an appropriate amount on the affected area several times a day.

<Precautions regarding dosage and directions>

- (1) Children can use this product only under the direction and supervision of their parent or a responsible adult.
- (2) Avoid contact with the eyes. If this product gets into the eye, immediately wash the eye with cold or lukewarm water. If the symptom is severe, consult an ophthalmologist.
- (3) For external use only.
- (4) Clean affected areas before applying.

INGREDIENTS AND CONTENTS

In 100 g

Ingredients	Contents	Actions
Ufenamate	5.0 g	Non-steroidal anti-inflammatory component acts directly on the affected site to reduce redness and inflammation.
Diphenhydramine	1.0 g	Antihistamine component prevents the onset of itching.
Glycyrrhetic acid	0.3 g	Anti-inflammatory component reduces redness and inflammation.
Tocopherol acetate	0.5 g	Vitamin E component promotes blood circulation and helps skin metabolism.
Benzethonium chloride	0.1 g	Antiseptic component prevents the generation of germs.

As inactive ingredients, this product contains petrolatum, stearyl alcohol, cetanol, glyceryl stearate, isopropyl palmitate, behenyl alcohol, cetomacrogol, dimethylpolysiloxane, paraben and BHT.

PRECAUTIONS FOR STORAGE AND HANDLING

- (1) Keep the cap tightly closed and store this product in a dry and cool place away from direct sunlight.
- (2) Keep out of the reach of children.
- (3) Do not transfer this product to another container (it may cause improper use or loss of quality).

Sold by: Kobayashi Pharmaceutical Co., Ltd.

Doshomachi Bldg., 4-10, Doshomachi 4-chome, Chuo-ku, Osaka-shi, 541-0045, Japan

Website: <https://www.kobayashi.co.jp>