Category ② OTC medicines

Topical drug for hemorrhoid

オシリア

Precautions for use

What you should Not do:

(If you do not follow the precautions listed below, your current symptoms may worsen and you may be at an increased risk of side effects.)

- 1. The following persons should not use this product: Persons with affected area with pus formation
- 2. Do not use this product regularly for long periods.

Who should seek consultation

- 1. The following persons should consult a doctor, pharmacist or registered salesperson before using this product:
- (1) Persons under treatment by a doctor
- (2) Persons who are or may be pregnant
- (3) Persons who have experienced allergic symptoms to medicines
- 2. Stop using this product immediately and ask a doctor, pharmacist, or registered salesperson with this package if the following symptoms appear after using this product because they may be side effects of the product.

Affected area	Symptoms
Skin	Rash/redness, itching, swelling
Others	Feeling of stimulation, pus formation

3. If symptoms do not improve after using this product for approximately 10 days, stop using this product and ask a doctor, pharmacist, or registered salesperson with this package.

INDICATIONS

Relief of pain, itching and swelling of bleeding hemorrhoids (ruptured hemorrhoids) and blind piles and disinfection

DOSAGE AND DIRECTIONS

Apply a suitable amount on an affected area around anus for up to 1 to 3 times a day. <Precautions regarding dosage and directions>

- (1) Please follow the designated dosage and directions.
- (2) Children can use this product only under the direction and supervision of their parent or a responsible adult.
- (3) For use for the anus only.

INGREDIENTS AND CONTENTS

In 100g

Ingredients	Contents
Hydrocortisone acetate	0.5 g
Diphenhydramine	1 g
hydrochloride	
Lidocaine	3 g
Isopropyl methylphenol	0.1 g
Tocopherol acetate	3 g

As inactive ingredients, this product contains petrolatum, gelled hydrocarbon,

microcrystalline wax, behenyl alcohol, white beeswax, lanolin alcohol, propylene glycol, isopropyl myristate, BHT, polysorbate 80 and sorbitan sesquioleate.

PRECAUTIONS FOR STORAGE AND HANDLING

- (1) Keep the cap tightly closed and store this product in a dry and cool place away from direct sunlight.
- (2) Keep out of the reach of children.
- (3) Do not transfer this product to another container (it may cause improper use or loss of quality).

Sold by: Kobayashi Pharmaceutical Co., Ltd.

Doshomachi Bldg., 4-10, Doshomachi 4-chome, Chuo-ku, Osaka-shi, 541-0045, Japan Website: https://www.kobayashi.co.jp