

Category 2 OTC medicines

Nasal Drops for Rhinitis

チクナイン c 点鼻スプレー

販売名:チクナイン c

Precautions for use**What you should Not do:**

(If you do not follow the precautions listed below, your current symptoms may worsen and you may be at an increased risk of side effects.)

1. The following persons should not use this product.
Persons who have had allergies to this medicine or ingredients of this medicine.
2. Do not use this product regularly for long periods.

Who should seek consultation

1. The following persons should consult a doctor, pharmacist or registered salesperson before using this product.
 - (1) Persons under treatment by a doctor.
 - (2) Persons who are or may be pregnant
 - (3) Persons who have experienced allergic symptoms to medicines
 - (4) Persons diagnosed as having the following: Hypertension, heart disease, diabetes mellitus, thyroid disease, glaucoma
2. Stop using this product immediately and ask a doctor, pharmacist, or registered salesperson with this leaflet if the following symptoms appear after using this product because they may be side effects of the product.

Affected area	Symptoms
Skin	Rash/redness, itching,
Nose	Swelling, irritation

In rare cases, the following serious symptoms might occur.

In that case, consult a doctor immediately.

Name of symptoms	Symptoms
Shock (anaphylaxis)	Symptoms such as itching of the skin, hives, hoarseness, sneezing, itching of the throat, breathing difficulties, palpitations, and clouding of consciousness will appear immediately after using the product.

3. If symptoms do not improve after using this product about 3 days, stop using this product and ask a doctor, pharmacist, or registered salesperson with this leaflet.

INDICATIONS

Relief of the following symptoms due to acute rhinitis, allergic rhinitis or sinusitis: Stuffy nose, runny nose, sneezing, dull headache

DOSAGE AND DIRECTIONS

Spray the following amount into the nasal cavity. The application interval is to be at least 3 hours.

Age	One dose	Frequency of use
Adult (15 years or over)	Spraying 1 to 2 times	1 to 5 times a day
7 to under 15 years of age		
Under 7 years	× Do not use	

<Precautions regarding dosage and directions>

- (1) Excessive use of the medicine may cause nasal congestion.
- (2) Children can use this product only under the direction and supervision of their parent.
- (3) The medicine should be used only for nasal application.

<How to use>

1. Gently blow your nose before use (do not blow too tightly).
 2. Remove the cap and hold the container. (Be sure to press it repeatedly until the solution comes out when you use it for the first time.)
 3. Insert the tip of the nozzle lightly into the nasal cavity and spray the drug solution 1 to 2 times. Repeat the same operation in the other nasal cavity.
 4. To keep the container clean, wipe the part contacting the nose with tissue paper, etc. after use, and close the cap tightly.
- When using the container with on its side, the drug solution does not become mist. Be sure to place the container upwards.
 - Never prick the tip of the nozzle with a needle, etc., because it is very dangerous if it is broken.

INGREDIENTS AND CONTENTS

In 100 mL

Ingredients	Contents	Actions
Naphazoline hydrochloride	0.05 g	It constricts blood vessels of nasal mucosa, suppresses swelling, and improves stuffy nose.
Chlorpheniramine maleate	0.5 g	Relieves symptoms of runny nose and stuffy nose
Lidocaine	0.5 g	Relieves pain and itching due to rhinitis
Dipotassium glycyrrhizinate	0.3 g	Relieves nasal inflammation
Benzalkonium chloride	0.02 g	Suppresses bacterial growth of nasal mucosa

As inactive ingredients, this product contains glycerin, pH adjuster.

PRECAUTIONS FOR STORAGE AND HANDLING

- (1) Keep the cap tightly closed and store this product in a dry and cool place away from direct sunlight.
- (2) Keep out of the reach of children.
- (3) Do not transfer this product to another container (it may cause improper use or loss of quality).
- (4) Do not share with others.

Sold by: Kobayashi Pharmaceutical Co., Ltd.
Doshomachi Bldg., 4-10, Doshomachi 4-chome, Chuo-ku, Osaka-shi, 541-0045, Japan
Website: <https://www.kobayashi.co.jp>