

## Category 2 OTC medicines

Drugs for athlete's foot (foot ringworm) and tinea

## タムシチンキ

販売名：小林タムシチンキb

## Precautions for use

## What you should Not do:

(If you do not follow the precautions listed below, your current symptoms may worsen and you may be at an increased risk of side effects.)

1. Do not use this product to the following areas.
  - (1) Eyes, around eyes, mucosa (for example, oral cavity, nasal cavity, and vagina), scrotum, vulva, etc.
  - (2) Eczema
  - (3) Affected area with severe moistening, erosion, cracking, or trauma

## Who should seek consultation

1. The following persons should consult a doctor, pharmacist or registered salesperson before using this product:
  - (1) Persons under treatment by a doctor
  - (2) Infants
  - (3) Persons who have experienced allergic symptoms to medicines
  - (4) Persons whose affected area is on the face or large
  - (5) Persons with affected area with pus formation
  - (6) Persons with affected area that is not clear whether it is an "eczema" or "foot ringworm, tinea cruris, tinea corporis" (If persons have symptoms of itching or erosions at the scrotum, it is often due to other causes such as eczema)
2. Stop using this product immediately and ask a doctor, pharmacist, or registered salesperson with this package if the following symptoms appear after using this product because they may be side effects of the product.

Affected area	Symptoms
Skin	Rash/redness, itching, irritated skin, swelling, feeling of stimulation, desquamation, erosion, dryness, stretched feeling, blisters

3. If symptoms do not improve after using this product for about 2 weeks, stop using this product and ask a doctor, pharmacist, or registered salesperson with this package.

## INDICATIONS

Foot ringworm, tinea cruris, tinea corporis

## DOSAGE AND DIRECTIONS

Apply an appropriate amount on the affected area several times a day.

## &lt;Precautions regarding dosage and directions&gt;

- (1) Do not use this product while the affected area and around the area are dirty
- (2) Avoid contact with the eyes. If this product gets into the eye, immediately wash the eye with cold or lukewarm water and consult an ophthalmologist immediately.
- (3) Children can use this product only under the direction and supervision of their parent.
- (4) For external use only.

**INGREDIENTS AND CONTENTS**

In 100 mL

Ingredients	Contents	Ingredients	Contents
Miconazole nitrate	1 g	Chlorpheniramine maleate	0.2 g
Salicylic acid	4 g	Lidocaine	2 g
Isopropyl methylphenol	0.3 g	dl-camphor	1.5 g

As inactive ingredients, this product contains ethanol.

**PRECAUTIONS FOR STORAGE AND HANDLING**

- (1) Keep the cap tightly closed and store this product in a dry and cool place away from direct sunlight.
- (2) Keep out of the reach of children
- (3) Do not transfer this product to another container (it may cause improper use or loss of quality).
- (4) Keep this product away from flame (it contains ethanol).
- (5) Do not use this product after the expiration date.
  - Even before the expiration date, use this product as soon as possible once it is opened in terms of quality preservation.
  - Avoid contact of this product with furniture or floor, etc., because the product may soften the synthetic resin or paint.

Sold by: Kobayashi Pharmaceutical Co., Ltd.

Doshomachi Bldg., 4-10, Doshomachi 4-chome, Chuo-ku, Osaka-shi, 541-0045, Japan

Website: <https://www.kobayashi.co.jp>